High Blood Cholesterol (Adults Males Age 35+, Females Age 45+)

High Blood Cholesterol (Adults Males Age 35+, Females Age 45+)

- •Most recent data (2013): 40% or about 367,800 King County adults [about 211,300 men (41%) and about 156,700 women (40%)].
- •Trend over time: 2001-13: flat
- •Description: Ever been told by a doctor, nurse, or other health professional to have high blood cholesterol (men age 35+ and women age 45+ who have been checked for blood cholesterol)

High blood cholesterol (adults males age 35+, females age 45+), King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults males age 35+, females age 45+)	43	42	45
AGE			
45-54	35	32	38
55-64	48	45	51
GENDER			
Male	45	42	47
Female	42	40	45
RACE/ETHNICITY			
AIAN	*	*	*
Asian	41	35	48
Black	39	31	49
Hispanic	46	35	58
Multiple	41	27	56
NHPI	*	*	*
White	44	42	46
HOUSEHOLD INCOME			
<\$15,000	53	43	63
\$15,000 to \$24,999	57	50	64
\$25,000 to \$34,999	48	41	55
\$35,000 to \$49,999	44	39	50
\$50,000 to \$74,999	48	44	53
\$75,000+	38	35	40
REGION			
East	42	39	45
North	47	40	54
Seattle	41	37	44
South	47	44	50

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

High blood cholesterol (adults males age 35+, females age 45+) King County, 2009-2013 average



§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
|-----| Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

High blood cholesterol (adults males age 35+, females age 45+) by comparison areas

The Healthy People 2020 Objective for high blood cholesterol (adults males age 35+, females age 45+) is 14%.

	Latest Available Year	Percent	Lower CI	Upper CI
United States	2011	38	N/A	N/A
WA State	2011	40	38	41
King County	2013	40	38	43

Notes:


Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

N/A: Not available.

CI is 95% Confidence Interval.

High blood cholesterol (adults males age 35+, females age 45+) by comparison areas



Source: Behavioral Risk Factor Surveillance System.
Prepared by Public Health - Seattle & King County, APDE, 01/2015.
|-----| Confidence interval shows range that includes true value 95% of the time.

High blood cholesterol (adults males age 35+, females age 45+) by health reporting areas, King County, 2009-2013 average

	Percent	Lower CI	Upper CI
King County (adults males age 35+, females age 45+)	43	42	45
Aubum	46	36	56
Auburn-North	48	36	60
Auburn-South	44	28	62
Bear Creek/Camation/Duvall	42	34	49
Bellevue	41	35	48
Bellevue-Central	36	24	50
Bellevue-NE	50	39	61
Bellevue-South	45	32	58
Bellevue-West	31	20	45
Black Diamond/Enumclaw/SE County	47	37	58
Bothell/Woodinville	50	36	65
Burien	46	35	57
Covington/Maple Valley	50	38	62
Des Moines/Normandy Park	48	36	59
East Federal Way	53	37	68
Fairwood	46	30	62
Federal Way	58	47	68
Fed Way-Central/Military Rd	68	55	79
Fed Way-Dash Point/Woodmont	37	26	50
Issaquah	39	24	57
Kenmore/LFP	47	35	60
Kent	42	35	51
Kent-East	41	28	56
Kent-SE	41	30	52
Kent-West	48	31	65
Kirkland	45	37	52
Kirkland	46	36	57
Kirkland North	42	31	53
Mercer Isle/Pt Cities	36	28	45
Newcastle/Four Creeks	40	30	51
North Highline	*	*	*
Redmond	38	27	51
Renton	46	38	53
Renton-East	44	32	57
Renton-North	50	35	65
Renton-South	44	33	56
Sammamish	42	34	51
SeaTac/Tukwila	42	30	55
Seattle	40	37	44
Ballard	46	36	56
Beacon/Gtown/S.Park	64	48	78
Capitol Hill/E.lake	37	25	51
Central Seattle	29	19	42
Delridge	23	15	34
Downtown	53	36	70
Fremont/Greenlake	34	24	45
NE Seattle	41	33	50
North Seattle	44	34	55
NW Seattle	41	31	52
QA/Magnolia	42	30	54
SE Seattle	48	35	62
West Seattle	31	23	39
Shoreline	46	37	56
Snoqualmie/North Bend/Skykomish	54	44	64
Vashon Island	53	40	66
Comparisonal	<u></u>	<u> </u>	<u>_</u>

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.


CI is 95% Confidence Interval

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

 $^{^{\}star}$ Too few cases to protect confidentiality and/or report reliable rates.


High blood cholesterol (adults males age 35+, females age 45+) by health reporting areas, King County, 2009-2013 average



Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: Behavioral Risk Factor Surveillance System.

Prepared by Public Health - Seattle & King County, APDE, 01/2015.

High blood cholesterol (adults males age 35+, females age 45+) King County, 2001-2013, three-year rolling averages



Source: Behavioral Risk Factor Surveillance System. Prepared by Public Health - Seattle & King County, APDE, 01/2015.

Produced by the

<u>Assessment, Policy Development & Evaluation Unit</u>

<u>Public Health - Seattle & King County</u>

01/15

